

# Calques 3D : a microworld for spatial geometry learning \*

Nicolas VAN LABEKE

LORIA/CNRS, Université Henri Poincaré - Nancy I,  
BP 239, F-54506 Vandoeuvre les Nancy Cedex, FRANCE  
[vanlabek@loria.fr](mailto:vanlabek@loria.fr)

## Abstract

**Calques 3D** is a microworld designed for constructing, observing and manipulating geometrical figures. It provides the user with functions and visual feedback for seeing and understanding objects in the third dimension. It also allows him to dynamically construct geometrical figures from elementary objects and construction operations and, finally, to explore and discover the properties of the figure by deforming it.

## 1 Introduction

In French secondary level schools, spatial geometry teaching is an important goal in mathematics teaching, and a difficult one, mainly because students have intrinsic difficulties in visualising three dimensional objects. Indeed, students are often unable to see and understand the display of a 3D figure on a 2D device, and then to proceed to form an abstraction of it. Moreover, though 'wire-frame' geometry does not introduce the same difficulties as solid geometry: it can cause other problems since the translucent aspect of objects makes it difficult to visualise their relative position.

Thus, the use of computers to display real-time and interactive images of 3D construction should be helpful for overcoming this problem. This observation led us to explore the field of Dynamic Geometry [BV94, GC98]. In this context, our project could rely on similar research, both in plane geometry (e.g. Geometer's Sketchpad [Jac95], Cabri-geometry [LB94] or Calques 2 [Ber94] - the later developed in our research team), and in spatial geometry (e.g. Geospace [Geo92], Kappa [Muz96] ou Cabri 3D [Qas97]).

**Calques 3D** is a microworld, i.e. a type of Interactive Learning Environment (ILE), designed for constructing, observing and manipulating geometrical figures. It allows an intuitive and adaptable access to environment features. Intuitive because it is used by students who do not have preparation. Adaptable because it allows the teacher to decide, with respect to his own pedagogy, which primitives and operations will be made available to the student.

The aims of **Calques 3D** are threefold :

- **Observation** : allowing one to see and understand the third dimension by changing the spatial system of reference (axes, floor, etc.), choosing perspective ('cavalière', vanishing point, etc.), modifying the observer's point of view; displaying visual feedback on objects, etc.
- **Construction** : allowing a dynamic construction of geometrical figures from elementary objects (points, lines, planes, etc.) and construction primitives (intersection, parallel, perpendicular, etc.).

---

\*Published in Proceedings of ITS98 - Fourth International Conference on Intelligent Tutoring Systems - Systems Demonstration, August 16-19, San Antonio, Texas (1998)

- **Exploration** : allowing one to explore and discover geometrical properties of the figure (deforming it by directly dragging base-points, changing observer's point of view, etc.).

## 2 Observation of figures

Calques 3D provides the student with support for helping them visualise geometric objects and moving from a concrete to an abstract environment. The student can observe a geometrical construction from various angles by modifying the observer's point of view or by requesting a *frontal* point of view for '*real-sized*' observation.

The choice of a spatial system of reference can influence the visual presentation of geometrical objects. For example, the '*dividing walls*' and the '*floor*' can be used for representing the points co-ordinates by their projection on each wall. This also allows one to display their intersections with geometrical objects like lines, circles, planes, etc. and, in the same way, to display those parts which are '*visible*' or not, i.e. changing the drawing features (e.g. line thickness) or the colour of object part behind the walls or under the floor (Fig. 1).




Figure 1: Using the spatial system of reference for concrete representation of a line's intersections with the 'floor' (left) or the 'dividing walls' (right).

Every geometrical object introduces different types of *visual units for comprehension* : the normal vector for planes or circle, etc. In order to obtain a suitably balanced marriage between visual help and visual overload, they could appear either automatically when the corresponding object is in use (e.g. during its creation, its designation in a construction task or during figure deformation if the target object is a movable point) or from an explicit student's request (e.g. by marking expected objects and switching on/off the marks).

## 3 Construction of figures

Calques 3D allows the student to create figures of spatial geometry by constructing elementary geometrical objects (e.g. lines, segments, planes, spheres, etc.) and by establishing geometrical relationships between them with construction primitives (e.g. parallel, perpendicular, membership, intersection, etc.). At each step of the construction task, *contextual help* and *visual feedback* provide the student with immediate and useful information about the current state of the task and about the stages remaining to complete it.

For ergonomic reasons, the construction task could be quite different from the '*traditional*' one, for example in cube construction. The first step of this construction consists in designating two distinct points which provide the initial edge of the cube (Fig. 2).

Once the second edge extremity is selected, a circle, in a perpendicular plane to this edge, centred to the second extremity and with a radius equal to the edge length, is drawn. The first cube face and its orientation around the edge can then be defined by creating and dragging a point on this circle. Finally, the cube itself is obtained by extending it from the face either in an arbitrary direction or according to the user's choice. In this way, during each creation step,




Figure 2: The three steps of the creation of a cube : the first edge designation (left), the first face creation and orientation (middle) and the final cube extension (right)

it is possible to provide visual feedback that allows the user to focus on what he is currently creating.

## 4 Exploration of figures

The plane representation of a spatial figure (i.e. the *drawing* of the figure [Par88]) does not sufficiently allow the student to understand all its geometrical properties, even if he could modify the observer's point of view. The dynamic deformation of such a figure provides the user with another way for exploring them. The exploration of figures is realised through an interface based on an extension of the *direct manipulation* concept [Sch82, Nan90] for spatial environments. Because of the limitations of user-interfaces for 3D manipulation, Calques 3D applies what we call '*the geometry of the point*' : the deformation of a construction can be accomplished only by dragging movable points (e.g. by segment extremities). Other geometrical objects can not be accessed (e.g. by any point of the segment).




Figure 3: Evolution of the plane section of a sphere during the deformation (translation of the point A along a radius of the sphere).

During the point dragging (Fig. 3), Calques 3D maintains the coherence of the relations either explicitly specified in the figure or resulting from the construction, and calculates and redraws in real-time the new shape of the construction.

## 5 The tracings : a feature of Calques 3D

We define a *tracing* as a *visual filter*, i.e. a mechanism that allows the user to extract from the construction a subset of geometrical objects and to visualise them separately from the initial figure. A subset of the figure is a set of defined geometrical objects *taken as a whole* (lines, points, planes, etc.) : it is impossible for example to extract a part of a line, a half-plane or a half-sphere, or the plane section of a cube if this locus was not explicitly constructed.

As a visual filter, the *tracings* objective is only used to ease the observation of a part of the construction : it consists in sharing an objects' visual representation with independent views that can be shown at the same time. These views (called '*Tracing Views*') are similar to the main construction view (called '*Universe View*'), i.e. it allows the user to change the observer's point of view, the spatial system of reference, the zoom factor, etc. in each of the views but the visual attributes of extracted objects are shared among them. Moreover, the construction of new objects is not allowed in a tracing window.

The *tracings* could be used to overcome the loss of spatial information, when drawing on a 2D screen, by simultaneous visualisation of different points of view of the same figure (or on some of its parts). For example in Fig. 4, a cube could be displayed in the '*Universe View*' with one point of view while a triangle, filtered of one of its face, could be displayed in another window with another point of view (e.g. a *frontal point of view*, such that the triangle appears as '*real-sized*'). In some ways, the tracings are similar to the '*front view*', '*rear view*' and so on that come from technical drawing.




Figure 4: A snapshot of Calques 3D main window; at left, a cube in the 'Universe' window; at right, a triangle extracted from one of its face and visualised in a separate 'Tracing' window.

The dynamic features of the microworld introduce some new properties that can be useful for more easily observing a figure. Indeed, the geometrical relations that link objects in the construction are not lost during the extraction process : any deformation that is made in one view results in a similar deformation in all the other views. That is why we consider the *tracings* as a *visual filter* rather than as a copy-and-paste tool.

## 6 Conclusion

Calques 3D is a prototype still being developed. We have shared it with eight teachers, who are collaborating with us. They are currently evaluating it and providing us feedback. This microworld provides users with a minimum but sufficient set of operations for the construction and the observation of geometrical figures. The prototype will be upgraded in order to take into account other teachers' needs. It should be noted that, Calques 3D only supports 'wire-frame' geometry: it does not allow the users to practice solid or analytical geometry.

Calques 3D was developed with Borland C++ 4.5 (about 25000 code lines) and is available for PC 486 systems or higher. It requires Windows 3.1 or Windows 95/NT.

## 7 References

- [Ber94] P. Bernat. Calques 2. Topiques Editions, 1994. 1
- [BV94] N. Balacheff and M. Vivet. *Didactique et intelligence artificielle*. La Pensée Sauvage, Grenoble, 1994. 1
- [GC98] E.P. Goldenberg and A. Cuoco. What Is Dynamic Geometry? In R. Lehrer and D. Chazan, editors, *Designing Learning Environments for Developing Understanding of Geometry and Space*, Studies in Mathematical Thinking and Learning. Erlbaum, Hillsdale, NJ, 1998. 1
- [Geo92] Geospace. *Activité mathématiques avec imagiciels, première et terminales, géométrie dans l'espace*. Ministère de l'Education Nationale et de la Culture, Direction des Lycées et des Collèges, 1992. 1
- [Jac95] N. Jackiw. The geometer's sketchpad. Visual Geometry Project, Key curriculum Press, 1995. 1
- [LB94] J.M. Laborde and F. Bellemain. Cabri-géomètre ii. Texas Instruments, 1994. 1
- [Muz96] D. Muzellec. Le logiciel kappa, la géométrie en trois dimensions, 1996. 1
- [Nan90] J. Nanard. *La manipulation directe en interface homme-machine*. Thèse d'état, Université de Sciences et Technique du Languedoc, 1990. 4
- [Par88] B. Parzysz. Knowing vs. Seeing, problems of the plane representation of space geometry figures. *Educational Studies in Mathematics*, 19(1):79–92, 1988. 4
- [Qas97] S. Qasem. La représentation dans un micro-monde de géométrie dans l'espace : le cas de cabri 3d. In *Cinquièmes Journées EAIIO de Cachan*, pages 133–146. HERMES, Paris, 1997. 1
- [Sch82] B. Schneiderman. The future of interactive systems and the emergence of direct manipulation. *Behavior and Information Technology*, 7:237–256, 1982. 4

## Acknowledgements

We gratefully acknowledge all the teachers and colleagues who cooperate with us in the "GEORGES" group. We have a special thought for our colleague Philippe Bernat who launched this project before dying very suddenly. We wish to express our gratitude to Professor Robert M. Aiken for his comments on this paper.

The dynamic geometry software design was supported by a grant from the "Region Lorraine".